

FIG. 1





FIG. 2

**FIG. 3**


50

The screenshot shows a software window titled 'KeyKeeper' with a menu bar (Exit, Panel..., Print..., Report..., Help) and a toolbar with icons for exit, print, and help. The main area is a 'Users' form with the following fields and controls:

User ID	9999999999999999	Phone	555-555-5555	New
Last Name	Smith	Dept #	26	Save
First Name	John	SSN	123456789	Remove
Title	Manager			Find
Location	HEAD OFFICES			Delete
KeyKeeper Password	XXXXXXXX	Security Level	100	Exp
Panel PIN	1234	New PIN		
Card Data	See [3]	Card	[8]	

At the bottom, there is a 'Browse Users' button with navigation arrows.

FIG. 4

**FIG. 5**

60(1)

The screenshot displays the 'KeyKeeper' application window. The 'Panel' sub-window is active, showing configuration options for a panel named 'Test'. The 'General' tab is selected, with other tabs for 'Settings 1', 'Settings 2', and 'Relays'. The configuration fields include:

- Panel ID: [Empty]
- Panel Name: Test
- Location: MASTER
- Initial Date: [Empty]
- Master's Date: [Empty]
- Model: [Empty]
- Model Keys: 10
- Also Poll Panel: ☒ Yes, ☐ No
- Communication Details section:
 - Port No: 1
 - Type: [Empty]
 - Time Offset: 0
 - Password: [Empty]
- Messages Sent: 51
- Enter count: 51
- Reset count button

On the right side of the 'Panel' window, there are buttons for 'New', 'Save', 'Delete', 'End', and 'Exit'. The status bar at the bottom shows 'Browse Panels - 1 - Test'.

FIG. 6




FIG. 7




FIG. 8




FIG. 9

60(4)





FIG. 10

**FIG. 11**




FIG. 12

70

EXIT

Start Party Bt

Start Bt: 0

End Bt: 0

Party Type: Even

End Party Bt

Start Bt: 0

End Bt: 0

Party Type: Even

Card Reader Type

Card Reader w/40

Ssn Number

Start Bt: 2

End Bt: 20

Ssn Delim: 0

Card Number

Start Bt: 21

End Bt: 38

Card Data Mask

7FFFFFFE

Other Options

ASCII/BCD: 0

Show Ssn: 1

OK

Cancel

FIG. 13




Fig. 14

15/15



Status: OK

8/19/2003 14:31:26

PIN:	<input type="text"/>
<input type="button" value="Submit"/>	

Turn simulation mode:
 Turn monitor mode:
 Turn keypad mode:

Press button to release or return key

Key01	Key02	Key03	Key04	Key05	Key06	Key07	Key08
Key09	Key10	Key11	Key12	Key13	Key14	Key15	Key16

Panel Transactions

Slot	ID	Date	Time	Type	Data1	Data2
46	1046	8/19/2003	14:19:26	User Web Login Ok	2	0
47	1047	8/19/2003	14:19:56	User Login Expired	2	0
48	1048	8/19/2003	14:20:07	User Web Login Ok	2	0
49	1049	8/19/2003	14:20:25	User Web Login Ok	2	0
50	1050	8/19/2003	14:20:55	User Login Expired	2	0
51	1051	8/19/2003	14:21:18	Key Returned	1	2
52	1052	8/19/2003	14:21:22	User Web Login Ok	2	0
53	1053	8/19/2003	14:21:52	User Login Expired	2	0
54	1054	8/19/2003	14:24:32	User Web Login Ok	2	0
55	1055	8/19/2003	14:25:01	User Login Expired	2	0

Software Version: RAM based SAM 0.20030808a IPWorks 1.6.0.20

FIG. 15